



Image Fillers Inc.

Fill coffee, spices, nutraceuticals, viscous products,
& liquids



Showcase

Image 2.5K HH

Provides precise filling with scale integration, servo drive motor, overflow control, and dribble filling.

Features

Washdown capability

Heavy duty stainless steel and blue
anodized aluminum

Advanced PLC that auto corrects
for overflow





Semi-auto fillers. Foot pedal Operation.

Image 2K Semi Automatic



Image 2.5K Semi Automatic

Fill between 1 gram & 50 lbs
Built for speed and accuracy
with a smart PLC.

The Image 2K clutch brake motor is cost-effective and reliable, while the Image 2.5K servo motor offers superior precision and advanced controls for high-speed efficiency.



Scan Me



Full-auto machines. Filler with conveyor or bagger.

2.5K Elevate

Elevated for mounting a bagger machine below



4.5K Filler

Dual-head filler with conveyor for enhanced speed




Image 8K

Continuous rotary filler for increased speed



Image 7K

K-Cups or Multi-Fill





The perfect solution for your filling needs

Perfect Solution Filler

Fill between 1 gram & 8 ounces

Ideal for small fills or short runs, it operates via foot pedal or integrates with form-fill-seal machines for automation



Fully Integrated packaging Line.

Bottles are sorted and fed to the conveyor by the unscrambler, labeled, filled, capped, date-stamped, and finally offloaded by the accumulator.

